

List of Publications

Tietz, D.: Computer-assisted two-dimensional agarose electrophoresis of Hib meningitis vaccines and analysis of polydisperse particle populations in the size range of viruses: A review. *Electrophoresis* (2007), in print.

Tietz, D.: A decade of electrophoretic experiments and computer simulation studies in the laboratory of Andreas Chrambach. *Electrophoresis* (2007), in print.

Tietz, D. (Editor): *Nucleic Acid Electrophoresis Laboratory Manual*. Springer Verlag (Berlin - Heidelberg - New York), pp. 1-328, October 1998. ISBN 3-540-63959-4

Tietz, D.: Advanced computer-assisted gel electrophoretic applications. *Zeitschr. Angew. Mathematik Mechanik (ZAMM) Special Issue 2: Applied Analysis* (O. Mahrenholtz, R. Mennicken eds.), pp. 687-688, Akademie Verlag 1996. ISBN 3-05-501745-5.

Tietz, D., Rahmat, O., Bretz, K. P.: Germany. *Going Global: Multimedia Marketing & Distribution '96* (Apple Computers, Inc.: Apple Media Program), pp. 129-134.

Tietz, D.: Benefits of advanced gel electrophoresis data analysis methods. *Appl. Theor. Electrophoresis* 5, 107-111 (1995).

Tietz, D.: Evidence against recent challenges of the extended Ogston model. *Electrophoresis* 16, 460-461 (1995).

Buzsás, Zs., Wheeler, D., Garner, M. M., Tietz, D., Chrambach, A.: Transverse pore gradient electrophoresis, using the PhastSystem. *Electrophoresis* 15, 1028-1031 (1994).

Orbán, L., Garner, M. M., Wheeler, D., Tietz, D., Chrambach, A.: Characterization of the electrophoretic properties of nucleosome core particles by transverse polyacrylamide pore gradient gel electrophoresis. *Electrophoresis* 14, 720-724 (1993).

Guszczynski, T., Pulyaeva, H., Tietz, D., Garner, M. M., Chrambach, A.: Capillary zone electrophoresis of large DNA. *Electrophoresis* 14, 523-530 (1993).

Tietz, D., Chrambach, A.: DNA shape and separation efficiency in polymer media: A computerized method based on electrophoretic mobility data. *Electrophoresis* 14, 185-190 (1993).

Tietz, D.: Book review: *The Dynamics of Electrophoresis* (Authors: R. A. Mosher, D. A. Saville and W. Thormann; publisher: VCH, Weinheim 1992), *Electrophoresis* 13, 339 (1992).

Tietz, D., Aldroubi, A., Pulyaeva, H., Guszczynski, T., Garner, M. M., Chrambach, A.: Advances in DNA electrophoresis in polymer solutions. *Electrophoresis* 13, 614-616 (1992).

Wheeler, D., Tietz, D., Chrambach, A.: Information on DNA conformation derived from transverse pore gradient gel electrophoresis in conjunction with an advanced data analysis applied to capillary electrophoresis in polymer media. *Electrophoresis* 13, 604-608 (1992).

Tietz, D., Chrambach, A.: Concave Ferguson plots of DNA fragments and convex Ferguson plots of bacteriophages: evaluation of molecular and fiber properties, using desktop computers. *Electrophoresis* 13, 286-294 (1992).

Tietz, D.: Computer-assisted two-dimensional agarose electrophoresis: a promising technique for the analysis of conjugated vaccines and other particle mixtures with no discernible peaks. *Elektrophorese Forum '91* (B. J. Radola, ed.), TU München, pp. 452-456, Bode (1991).

Pospichal, J., Tietz, D., Ittyerah, T.R., Halpern, D., Chrambach, A.: Gel electrophoresis of polystyrene particles in glutaraldehyde crosslinked polyvinyl alcohol. *Electrophoresis* 12, 338-341 (1991).

Tietz, D., Aldroubi, A., Schneerson, R., Unser, M., Chrambach, A.: Distribution of particles characterized by their size and free mobility within polydisperse populations of protein-polysaccharide conjugates, determined from two-dimensional agarose electropherograms. *Electrophoresis* 12, 46-54 (1991).

Aldroubi, A., Unser, M., Tietz, D., Trus, B.: Computerized methods for analyzing two-dimensional agarose gel electropherograms. *Electrophoresis* 12, 39-46 (1991).

Tietz, D.: Analysis of one-dimensional gels and two-dimensional Serwer-type gels on basis of the extended Ogston model using personal computers. *Electrophoresis* 12, 28-39 (1991).

Tietz, D., Gombocz, E., Chrambach, A.: Procedures and computer program for deriving the Ferguson plot from electrophoresis in a single pore gradient gel: Application to agarose gel and a polystyrene particle. *Electrophoresis* 12, 710-721 (1991).

Tietz, D., Chrambach, A.: Computer-assisted evaluation of polydisperse 2-dimensional gel patterns of polysaccharide-protein conjugate preparations with regard to size and net charge. *Electrophoresis* 10, 667-680 (1989).

Tietz, D., Aldroubi, A., Unser, M., Chrambach, A.: Gel electrophoretic analysis of semi-synthetic vaccines. *Electrophoresis Forum '89* (B. J. Radola, ed.), TU München, pp. 210-212, Bode (1989).

Tietz, D., Aldroubi, A., Unser, M., Chrambach, A.: Physical characterization of particles in polydisperse mixtures on the basis of densitometrically analyzed Serwer-type 2-D electrophoresis patterns. *Electrophoresis Forum '89* (B. J. Radola, ed.), TU München, pp. 199-209, Bode (1989).

Hurt, S.S., Tietz, D., Fawcett, J.S., Chrambach, A.: Agarose gel electrophoretic titration curves of plant viruses. *Phytopathology* 79, 661-667 (1989).

Orbán, L., Fawcett, J.S., Tietz, D., Chrambach, A.: Sieving of ionic constituents across moving boundaries in gel electrophoresis. *Electrophoresis* 10, 254-259 (1989).

Tietz, D.: Evaluation of mobility data obtained from gel electrophoresis: Strategies in the computation of particle and gel properties on the basis of the extended Ogston model. *Advances in Electrophoresis*, Vol. 2, 109-169 (1988).

Butterman, M., Tietz, D., Orbán, L., Chrambach, A.: Ferguson plot linearity in PAGE: Correlation with polymerization conditions, gel fiber properties and free mobility determination. *Electrophoresis* 9, 293-298 (1988).

Hahn, E., Wurts, L., Tietz, D., Chrambach, A.: Linear Ferguson plots of polystyrene sulfate size standards for the quantitative agarose gel electrophoresis of subcellular particles. *Electrophoresis* 9, 243-255 (1988).

Tietz, D.: Characterization of semi-synthetic meningitis vaccines by size and free mobility profiles derived from 2-D agarose gel electrophoresis. *Electrophoresis '88* (C. Schafer-Nielsen, ed.), pp. 223-227. VCH Verlagsgesellschaft, Weinheim 1988.

Tietz, D.: Review. Gel electrophoresis of intact subcellular particles. *J. Chromatogr.* 418, 305-344 (1987).

Tietz, D.: Physikalische Charakterisierung von submikroskopischen Partikeln mit Hilfe der Computersimulation von gelelektrophoretischen Daten. [Physical characterization of subcellular particles based on computer simulation of gel electrophoretic data]. *Elektrophorese Forum '87* (B. J. Radola, ed.), TU München, pp. 526 - 530, Bode (1987).

Orbán, L., Tietz, D., Chrambach, A.: A convex "Ferguson plot" of polystyrene particles in electrophoresis on 0.25 to 2.0 % polyacrylamide (30% Bis-crosslinked). *Electrophoresis* 8, 471-476 (1987).

Orbán, L., Tietz, D., Chrambach, A.: Quantitative gel electrophoresis of polystyrene particles with 20 - 60 nm radii on 30% crosslinked polyacrylamide gel. *Electrophoresis* 8, 465-471 (1987).

Gombocz, E., Tietz, D., Chrambach, A.: Moving boundary electrophoresis on agarose gel of plant viruses and polystyrene microspheres. *Electrophoresis* 8, 286-293 (1987).

Tietz, D., Gombocz, E., Chrambach, A.: Characterization of subcellular particles by size, charge and apparent compressibility on the basis of mobility in agarose gel electrophoresis: Procedures of computer simulation. *Electrophoresis* 8, 271-285 (1987).

Gombocz, E., Tietz, D., Hurtt, S., Chrambach, A.: Polystyrene latex particles as size standards in quantitative agarose gel electrophoresis: Application to three plant viruses. *Electrophoresis* 8, 261-271 (1987).

Tietz, D., Chrambach, A.: Computer simulation of the variable agarose fiber dimensions on the basis of mobility data derived from gel electrophoresis and using the Ogston theory. *Anal. Biochem.* 161, 395-411 (1987).

Tietz, D., Gombocz, E., Chrambach, A.: Particle dynamics revealed by agarose gel electrophoresis. In: *Electrophoresis '86, Proceedings of the Fifth International Electrophoresis Society in London* (Dunn, M. J., ed.), pp. 253-258, VCH Verlagsgesellschaft, Weinheim (1986). ISBN 3-527-26566-x.

Tietz, D., Gombocz, E.: Gel electrophoresis: a tool for the characterization of viruses, subcellular particles and agarose gel structures. *Proceedings of the 5th Congress of FESPP in Hamburg* (1986).

Tietz, D.: Determination of agarose fiber properties by gel electrophoresis. *Abstracts, 17th FEBS Meeting in Berlin, 1986. Biological Chemistry Hoppe-Seyler* 367 (Supp.), 330, 1986. ISBN 0177-3593.

Tietz, D., Chrumbach, A.: Analysis of convex Ferguson plots in agarose gel electrophoresis by empirical computer modeling. *Electrophoresis* 7, 241-250 (1986).

Tietz, D., Gottlieb, M. H., Fawcett, J. S., Chrumbach, A.: Electrophoresis on uncrosslinked polyacrylamide: Molecular sieving and its potential applications. *Electrophoresis* 7, 217-220 (1986).

Tietz, D., Gombocz, E., Chrumbach, A.: Physical Characterization of particles and gel fibers on the basis of nonlinear Ferguson plots in agarose gel electrophoresis. *Proceedings of the 1986 Meeting of the American Branch of the Electrophoresis Society* (D. J. Reeder ed.), p. 164, National Bureau of Standards, Washington DC (1986) NBSIR/86-3345.

Gombocz, E., Tietz, D., Hurtt, S., Chrumbach, A.: Physical characterization of turnip crinkle and pelargonium flowerbreak viruses by agarose gel electrophoresis: applicability of polystyrene size standards and of moving boundary electrophoresis buffer systems. *Proceedings of the 1986 Meeting of the American Branch of the Electrophoresis Society* (D. J. Reeder ed.), p. 146, National Bureau of Standards, Washington DC (1986) NBSIR/86-3345.

Tietz, D., Chrumbach, A.: Quantitative Agarose-Elektrophorese von Viren und Zellpartikeln. [Quantitative agarose electrophoresis of viruses and subcellular particles]. *Elektrophorese Forum '85* (B. J. Radola, ed.), TU München, pp. 323 - 329, Bode (1985).

Tietz, D., Chrumbach, A.: Konsequenzen der Variabilität der Zwei-Faser-Struktur der Agarose für die Interpretation und Praxis der Agarose-Elektrophorese. [Variability of the two-fiber agarose structure and its consequences for the interpretation and the practice of agarose electrophoresis]. *Elektrophorese Forum '85* (B. J. Radola, ed.), TU München, pp. 165 - 171, Bode (1985).

Tietz, D.: Characterization of a novel (+-) - abscisic acid metabolite. *Physiol. Plant.* 65, 171 - 176 (1985).

Tietz, D., Tietz, A.: Less hazardous derivatization procedure for gas chromatography of plant hormone abscisic acid. *J. Chromatogr.* 325, 425 - 429 (1985).

Dörffling, K., Tietz, D.: Abscisic acid in leaf epidermis of *Commelina communis* L.: Distribution and correlation with stomatal closure. *J. Plant Physiol.* 117, 297 - 305 (1985).

Tietz, D., Chrumbach, A.: Agarose gels and their pore structure as a function of concentration range. *Abstracts. Electrophoresis '84*, meeting of the American Electrophoresis Society at the University of Arizona, Tucson (1984).

Dörffling, K., Tietz, D.: Methods for the detection and estimation of abscisic acid and related compounds. In: *Abscisic Acid* (F. T. Addicott, ed.), pp. 23 - 77, Praeger Special Studies New York (1983).

Dörffling, K., Tietz, D.: Growth. *Progress in Botany* 44, 182 - 204 (1982).

Tietz, D.: Untersuchungen zum Metabolismus von Abscisinsäure in Erbsenkeimlingen. [Investigation of the abscisic acid metabolism in pea seedlings]. Ph.D. thesis, Institute for General Botany, University of Hamburg, Germany (1982).

Tietz, D., Tietz, A.: Stress im Pflanzenreich. [Stress in plants]. *Biologie in unserer Zeit* (P. Sitte, ed.) 12(4), 113 - 119 (1982).

Dörffling, K., Tietz, D.: Aufnahme und Verteilung von $2\text{-}^{14}\text{C}$ - Abscisinsäure in Blattepidermen von *Commelina communis* und Korrelation mit dem Verschluss der Stomata. [Uptake and distribution of $2\text{-}^{14}\text{C}$ abscisic acid in epidermic strips of *Commelina communis* and its correlation with the closure of stomata]. Abstracts der Botaniker-Tagung in Freiburg (1982).

Tietz, D.: Buschigere Topfblumen und stabilere Weizenhalme. Weitverbreitete Pflanzenmanipulation durch Hormone. [Bushier pot plants and more stable wheat stalks. Wide-spread manipulation of plants by hormones]. *Frankfurter Rundschau* Nr. 231, p. 13 (1980).

Dörffling, K., Tietz, D., Ludwig, M.: Abscisinsäure und die Schliessreaktion der Stomata bei Wasserstress. [Abscisic acid and the closure of stomata during water stress]. *Proceedings of lectures and posters*, p. 93. Botany Meeting in Bochum, Germany (1980).

Tietz, D.: Blühen auf Befehl - ernten nach Plan. Wachstumsregulatoren bei Pflanzen. [Flowering on demand - harvesting on schedule. Plant growth regulators]. *Bild der Wissenschaft* (H. Haber, ed.) 5, 126 - 137 (1980).

Dörffling, K., Tietz, D., Streich, J., Ludwig, M.: Studies on the role of abscisic acid in stomatal movements. In: *Plant Growth Substances 1979* (F. Skoog, ed.), pp. 274 - 285. Springer Verlag Berlin - Heidelberg - New York.

Tietz, D., Dörffling, K., Wöhrle, D., Erxleben, I., Liemann, F.: Identification by combined gas chromatography - mass spectrometry of phasic acid and dihydrophaseic acid and characterization of further abscisic acid metabolites in pea seedlings. *Planta* 147, 168 - 173 (1979).

Tietz, D., Dörffling, K.: Charakterisierung der Abbauprodukte von Abscisinsäure in Erbsenkeimlingen. [Characterization of abscisic acid degradation products in pea seedlings]. *Mitt. Inst. Allg. Bot. Hamburg* 16, 101 - 114 (1978).

Tietz, D.: Charakterisierung der Abbauprodukte von Abscisinsäure in Erbsenkeimlingen. [Characterization of abscisic acid degradation products in pea seedlings]. Diploma Thesis, Institute for General Botany, University of Hamburg, Germany (1977).

Dörffling, K., Sonka, B., Tietz, D.: Variation and metabolism of abscisic acid in pea seedlings during and after stress. *Planta* 121, 57 - 66 (1974).